

according to Regulation (EC) No. 1907/2006 (REACH)
(This safety data sheet is for information only and does not
comply with the official language requirements of article 31 (5)
of REACH.)



Version number: 6.0
Replaces version of: 16.08.2022 (5)

Revision: 05.09.2024
First version: 19.06.2020

1.1 Product identifier

Identification of the substance	zirconia aluminosilicate refractory ceramic fibres
--	--

Trade name	SILCAFLEX 126/143 PACK BLOCK STACK FIX
------------	--

Product	SILCAFLEX 126, -140, -143, -1250
	SILCABLOCK 126, -140, -143, -1250
	SILCASTACK 126, -140, -143, -1250
	SILCAFIX 126, -140, -143, -125
	SILCAPACK 126, -140, -143, -1250
	SILCALOG 126, -143
	SILCAFLEX Textilien 110-30K, 126K

Registration number (REACH) 01-2119458050-50-xxxx

EC number

Index number in CLP Annex VI 650-017-00-8

CAS number 142844-00-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Thermal insulation
<p>1. Thermal insulation of buildings</p> <p>2. Thermal insulation of industrial equipment</p> <p>3. Thermal insulation of pipes</p> <p>4. Thermal insulation of storage tanks</p> <p>5. Thermal insulation of ships</p> <p>6. Thermal insulation of aircraft</p> <p>7. Thermal insulation of spacecraft</p> <p>8. Thermal insulation of submarines</p> <p>9. Thermal insulation of offshore platforms</p> <p>10. Thermal insulation of offshore vessels</p> <p>11. Thermal insulation of offshore structures</p> <p>12. Thermal insulation of offshore facilities</p> <p>13. Thermal insulation of offshore equipment</p> <p>14. Thermal insulation of offshore infrastructure</p> <p>15. Thermal insulation of offshore assets</p> <p>16. Thermal insulation of offshore resources</p> <p>17. Thermal insulation of offshore operations</p> <p>18. Thermal insulation of offshore activities</p> <p>19. Thermal insulation of offshore processes</p> <p>20. Thermal insulation of offshore systems</p> <p>21. Thermal insulation of offshore networks</p> <p>22. Thermal insulation of offshore services</p> <p>23. Thermal insulation of offshore products</p> <p>24. Thermal insulation of offshore materials</p> <p>25. Thermal insulation of offshore components</p> <p>26. Thermal insulation of offshore parts</p> <p>27. Thermal insulation of offshore accessories</p> <p>28. Thermal insulation of offshore tools</p> <p>29. Thermal insulation of offshore equipment</p> <p>30. Thermal insulation of offshore machinery</p> <p>31. Thermal insulation of offshore vehicles</p> <p>32. Thermal insulation of offshore vessels</p> <p>33. Thermal insulation of offshore structures</p> <p>34. Thermal insulation of offshore facilities</p> <p>35. Thermal insulation of offshore equipment</p> <p>36. Thermal insulation of offshore infrastructure</p> <p>37. Thermal insulation of offshore assets</p> <p>38. Thermal insulation of offshore resources</p> <p>39. Thermal insulation of offshore operations</p> <p>40. Thermal insulation of offshore activities</p> <p>41. Thermal insulation of offshore processes</p> <p>42. Thermal insulation of offshore systems</p> <p>43. Thermal insulation of offshore networks</p> <p>44. Thermal insulation of offshore services</p> <p>45. Thermal insulation of offshore products</p> <p>46. Thermal insulation of offshore materials</p> <p>47. Thermal insulation of offshore components</p> <p>48. Thermal insulation of offshore parts</p> <p>49. Thermal insulation of offshore accessories</p> <p>50. Thermal insulation of offshore tools</p>	<p>1. Thermal insulation of buildings</p> <p>2. Thermal insulation of industrial equipment</p> <p>3. Thermal insulation of pipes</p> <p>4. Thermal insulation of storage tanks</p> <p>5. Thermal insulation of ships</p> <p>6. Thermal insulation of aircraft</p> <p>7. Thermal insulation of spacecraft</p> <p>8. Thermal insulation of submarines</p> <p>9. Thermal insulation of offshore platforms</p> <p>10. Thermal insulation of offshore vessels</p> <p>11. Thermal insulation of offshore structures</p> <p>12. Thermal insulation of offshore facilities</p> <p>13. Thermal insulation of offshore equipment</p> <p>14. Thermal insulation of offshore infrastructure</p> <p>15. Thermal insulation of offshore assets</p> <p>16. Thermal insulation of offshore resources</p> <p>17. Thermal insulation of offshore operations</p> <p>18. Thermal insulation of offshore activities</p> <p>19. Thermal insulation of offshore processes</p> <p>20. Thermal insulation of offshore systems</p> <p>21. Thermal insulation of offshore networks</p> <p>22. Thermal insulation of offshore services</p> <p>23. Thermal insulation of offshore products</p> <p>24. Thermal insulation of offshore materials</p> <p>25. Thermal insulation of offshore components</p> <p>26. Thermal insulation of offshore parts</p> <p>27. Thermal insulation of offshore accessories</p> <p>28. Thermal insulation of offshore tools</p> <p>29. Thermal insulation of offshore equipment</p> <p>30. Thermal insulation of offshore machinery</p> <p>31. Thermal insulation of offshore vehicles</p> <p>32. Thermal insulation of offshore vessels</p> <p>33. Thermal insulation of offshore structures</p> <p>34. Thermal insulation of offshore facilities</p> <p>35. Thermal insulation of offshore equipment</p> <p>36. Thermal insulation of offshore infrastructure</p> <p>37. Thermal insulation of offshore assets</p> <p>38. Thermal insulation of offshore resources</p> <p>39. Thermal insulation of offshore operations</p> <p>40. Thermal insulation of offshore activities</p> <p>41. Thermal insulation of offshore processes</p> <p>42. Thermal insulation of offshore systems</p> <p>43. Thermal insulation of offshore networks</p> <p>44. Thermal insulation of offshore services</p> <p>45. Thermal insulation of offshore products</p> <p>46. Thermal insulation of offshore materials</p> <p>47. Thermal insulation of offshore components</p> <p>48. Thermal insulation of offshore parts</p> <p>49. Thermal insulation of offshore accessories</p> <p>50. Thermal insulation of offshore tools</p>

1.3 Details of the supplier of the safety data sheet

SILCA Service- und Vertriebsgesellschaft für
Dämmstoffe mbH
Elberfelder Straße 200a
D-40822 Mettmann
Germany

Telephone: +49 (0) 2104 9727-0
Telefax: +49 (0) 2104 9727-25
e-mail: reach@silca-online.de
Website: www.silca-online.de

e-mail (competent person) sdb@csb-compliance.com

Please do not use this e-mail address to ask for the latest safety data sheet. For this purpose contact
SILCA Service- und Vertriebsgesellschaft für Dämmstoffe mbH.

SILCAFLEX 126/143 PACK BLOCK STACK FIX

Version number: 6.0

Revision: 05.09.2024

1.4 Emergency telephone number

Poison centre		
Country	Name	Telephone
Germany	Giftinformationszentrum - Nord Göttingen	+49 551 19240

As above or nearest toxicological information centre.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification				
Section	Hazard class	Category	Hazard class and category	Hazard statement
3.6	carcinogenicity	1B	Carc. 1B	H350i

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word danger

Pictograms

GHS08



Hazard statements

H350i May cause cancer by inhalation.

Precautionary statements

P201 Obtain special instructions before use.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

Additional labelling requirements

for professional users only

see section 15 of the safety data sheet

SILCAFLEX 126/143 PACK BLOCK STACK FIX

Version number: 6.0

Revision: 05.09.2024

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Not listed.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	zirconia aluminosilicate refractory ceramic fibres
Identifiers	
REACH Reg. No	01-2119458050-50-xxxx
CAS No	142844-00-6
EC No	
Index No	650-017-00-8

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Self-protection of the first aider.

Remove affected person from the danger area and lay down.

Do not leave affected person unattended.

Take off immediately all contaminated clothing.

In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air.

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

Following skin contact

Rinse skin with water/shower.

If skin irritation occurs: Get medical advice/attention.

Following eye contact

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Following ingestion

Rinse mouth. Do not induce vomiting.

Get medical advice/attention if you feel unwell.

SILCAFLEX 126/143 PACK BLOCK STACK FIX

Version number: 6.0

Revision: 05.09.2024

Notes for the doctor

None.

4.2 Most important symptoms and effects, both acute and delayed

This information is not available.

4.3 Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

water, foam, alcohol resistant foam, fire extinguishing powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products: Section 10.

5.3 Advice for firefighters

Non-combustible.

Keep containers cool with water spray.

In case of fire and/or explosion do not breathe fumes.

Co-ordinate firefighting measures to the fire surroundings.

Do not allow firefighting water to enter drains or water courses.

Collect contaminated firefighting water separately.

Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Wear self-contained breathing apparatus

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

Ventilate affected area.

Do not breathe dust.

Control of dust.

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

SILCAFLEX 126/143 PACK BLOCK STACK FIX

Version number: 6.0

Revision: 05.09.2024

6.2 Environmental precautions

Keep away from drains, surface and ground water.
Retain contaminated washing water and dispose of it.
If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Take up mechanically.

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal.
Ventilate affected area.

6.4 Reference to other sections

Personal protective equipment: see section 8.
Incompatible materials: see section 10.
Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes.
Do not breathe dust (fibre dusts)

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation.
Removal of dust deposits.

Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Do not eat, drink and smoke in work areas.
Wash hands after use.
Preventive skin protection (barrier creams/ointments) is recommended.
Remove contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including any incompatibilities

Flammability hazards

None.

Incompatible substances or mixtures

Incompatible materials: see section 10.

SILCAFLEX 126/143 PACK BLOCK STACK FIX

Version number: 6.0

Revision: 05.09.2024

Protect against external exposure, such as
humidity

Consideration of other advice

Keep away from food, drink and animal feedingstuffs.

Ventilation requirements

Provision of sufficient ventilation.

Specific designs for storage rooms or vessels

Keep container tightly closed and in a well-ventilated place.

Store in a dry place.

Store locked up.

Packaging compatibilities

Keep only in original container.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)									
Coun-try	Name of agent	CAS No	Iden-tifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Nota-tion	Source
EU	refractory ceramic fibres	-	IOELV	0,3	-	-	-	fib/ml	2017/2398/EU

Notation

fib/ml fibres/ml

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

8.2 Exposure controls

Appropriate engineering controls

Use local and general ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection. (EN 166)

Hand protection

Wear suitable gloves (Textiles, Leather).

SILCAFLEX 126/143 PACK BLOCK STACK FIX

Version number: 6.0

Revision: 05.09.2024

Body protection

Protective clothing for use against solid particulates.
(EN 13832, EN 340, EN 14605).

Respiratory protection

In case of inadequate ventilation wear respiratory protection.
Particle filter device (DIN EN 143).

Environmental exposure controls

Use appropriate container to avoid environmental contamination.
Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid (fibres)
Colour	not determined
Odour	odourless
Melting point/freezing point	1.740 – 1.800 °C
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not applicable (solid)
Flash point	not applicable
Auto-ignition temperature	not applicable (solid)
Decomposition temperature	not relevant
pH (value)	not applicable
Viscosity	not relevant (solid)
Solubility(ies)	
Water solubility	insoluble
Partition coefficient n-octanol/water (log value)	not relevant (inorganic)
Vapour pressure	not determined

SILCAFLEX 126/143 PACK BLOCK STACK FIX

Version number: 6.0

Revision: 05.09.2024

Density and/or relative density

Density	not determined
Relative vapour density	not relevant (solid)

Particle characteristics

no data available

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
--	--

Other safety characteristics	there is no additional information
------------------------------	------------------------------------

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Control of dust.

10.5 Incompatible materials

hydrogen fluoride (HF)

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

If not otherwise specified the classification is based on:

Animal studies; Evidence from any other toxicity tests; Expert judgement (weight of evidence determination).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

SILCAFLEX 126/143 PACK BLOCK STACK FIX

Version number: 6.0

Revision: 05.09.2024

Skin corrosion/irritation

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Serious eye damage/eye irritation

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Respiratory or skin sensitisation

Skin sensitisation

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Respiratory sensitisation

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Germ cell mutagenicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Carcinogenicity

May cause cancer by inhalation.

Reproductive toxicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Specific target organ toxicity - single exposure

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Specific target organ toxicity - repeated exposure

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Respirable dust which may arise increases the relative lung cancer risk in humans.

11.2 Information on other hazards

Endocrine disrupting properties

Not listed.

SILCAFLEX 126/143 PACK BLOCK STACK FIX

Version number: 6.0

Revision: 05.09.2024

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity (acute)

No data available.

Aquatic toxicity (chronic)

No data available.

12.2 Persistence and degradability

Biodegradation

The study does not need to be conducted because the substance is inorganic.

Persistence

The study does not need to be conducted because the substance is inorganic.

12.3 Bioaccumulative potential

n-octanol/water (log KOW)

not relevant
(inorganic)

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

Remarks

Wassergefährdungsklasse, WGK (water hazard class): 3.

Keep away from drains, surface and ground water.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Completely emptied packages can be recycled.

Handle contaminated packages in the same way as the substance itself.

SILCAFLEX 126/143 PACK BLOCK STACK FIX

Version number: 6.0

Revision: 05.09.2024

Remarks

Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number or ID number	not assigned
14.2	UN proper shipping name	-
14.3	Transport hazard class(es)	-
14.4	Packing group	-
14.5	Environmental hazards	-
14.6	Special precautions for user	-
14.7	Maritime transport in bulk according to IMO instruments	-

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Name	Name acc. to inventory	CAS No	Restriction
zirconia aluminosilicate refractory ceramic fibres	carcinogenic	-	R28-30
zirconia aluminosilicate refractory ceramic fibres	substances in tattoo inks and permanent make-up	-	R75

Legend

R28-30 1. Shall not be placed on the market, or used,

- as substances,
- as constituents of other substances, or,
- in mixtures,

for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:

- either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,
- the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008.

Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:

'Restricted to professional users'.

2. By way of derogation, paragraph 1 shall not apply to:

- (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;

SILCAFLEX 126/143 PACK BLOCK

STACK FIX

Version number: 6.0

Revision: 05.09.2024

Legend

- (b) cosmetic products as defined by Directive 76/768/EEC;
 - (c) the following fuels and oil products:
 - motor fuels which are covered by Directive 98/70/EC,
 - mineral oil products intended for use as fuel in mobile or fixed combustion plants,
 - fuels sold in closed systems (e.g. liquid gas bottles);
 - (d) artists' paints covered by Regulation (EC) No 1272/2008;
 - (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date;
 - (f) devices covered by Regulation (EU) 2017/745.
- R75 1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:
- (a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
 - (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
 - (c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
 - (d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:
 - (i) 0,1 % by weight, if the substance is used solely as a pH regulator;
 - (ii) 0,01 % by weight, in all other cases;
 - (e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
 - (f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:
 - (i) "Rinse-off products";
 - (ii) "Not to be used in products applied on mucous membranes";
 - (iii) "Not to be used in eye products";
 - (g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;
 - (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.
2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.
3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.
4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
- (a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
 - (b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).
5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the

SILCAFLEX 126/143 PACK BLOCK

STACK FIX

Version number: 6.0

Revision: 05.09.2024

Legend

date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.

6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.

7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:

(a) the statement "Mixture for use in tattoos or permanent make-up";

(b) a reference number to uniquely identify the batch;

(c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;

(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;

(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;

(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;

(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.

The information shall be clearly visible, easily legible and marked in a way that is indelible.

The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.

Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.

Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

SILCAFLEX 126/143 PACK BLOCK STACK FIX

Version number: 6.0

Revision: 05.09.2024

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

Substance of Very High Concern (SVHC)						
Name acc. to inventory	CAS No	Listed in	Remarks	Latest application date	Sunset date	Date of inclusion
Aluminosilicate Refractory Ceramic Fibres	-	Candidate list	Carc. A57a	-	-	19.12.2011

Legend

Candidate list Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

Carc. A57a Carcinogenic (article 57a)

Seveso Directive

Not assigned.

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

Not listed.

Regulation on the marketing and use of explosives precursors

Not listed.

Regulation on drug precursors

Not listed.

Regulation on substances that deplete the ozone layer (ODS)

Not listed.

Regulation concerning the export and import of hazardous chemicals (PIC)

Not listed.

Regulation on persistent organic pollutants (POP)

Not listed.

National regulations (Germany)

Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV)

Wassergefährdungsklasse, WGK 3
(water hazard class)

Technical instructions on air quality control (Germany)

Number	Group of substances	Class	Conc.	Mass flow	Mass concentration	Notation
5.2.7.1.1	carcinogenic substances	-	≥ 25 wt%	0,15 g/h	0,05 mg/m ³	5)

SILCAFLEX 126/143 PACK BLOCK

STACK FIX

Version number: 6.0

Revision: 05.09.2024

Notation

5) not yet assigned to any class. Stated values correspond to those for carcinogenic substances of class I

Storage of hazardous substances in non-stationary containers (TRGS 510) (Germany)

Storage class (LGK) 13
(non-combustible solids)

Chemikalien-Verbotsverordnung (Chemicals Prohibition Ordinance) - ChemVerbotsV

Anforderungen in Bezug auf die Abgabe		
Name acc. to inventory	Anforderungen	Erleichterte Anforderungen
Produkt mit GHS08 und Signalwort "Gefahr", H340, H350, H350i, H360, H360F, H360D, H360FD, H360Fd, H360Df, H370 oder H372	A1	EA1

Legend

- A1
1. Erlaubnispflicht nach § 6 Absatz 1 Satz 1
 2. Grundanforderungen zur Durchführung der Abgabe nach § 8 Absatz 1, 3 und 4
 3. Identitätsfeststellung und Dokumentation nach § 9 Absatz 1 bis 3
 4. Ausschluss des Versandweges nach § 10
- EA1
1. Anzeigepflicht nach § 7 Absatz 1 Satz 1
 2. Grundanforderungen zur Durchführung der Abgabe nach § 8 Absatz 2 bis 4
 3. Identitätsfeststellung und Dokumentation nach § 9 Absatz 2 Nummer 1 und Absatz 4

Other information

Observe employment restrictions for young people according to § 22 JArbSchG.

Observe occupational restrictions for mothers acc. to §§ 11 and 12 MuSchG!

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance by the supplier.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)
2.2	-	Precautionary statements: change in the listing (table)
8.2	Eye/face protection: Wear eye/face protection.	Eye/face protection: Wear eye/face protection. (EN 166)
8.2	-	Protective gloves: change in the listing (table)
8.2	-	Body protection: Protective clothing for use against solid particulates.

SILCAFLEX 126/143 PACK BLOCK

STACK FIX

Version number: 6.0

Revision: 05.09.2024

Section	Former entry (text/value)	Actual entry (text/value)
		(EN 13832, EN 340, EN 14605).
8.2	Respiratory protection: In case of inadequate ventilation wear respiratory protection. Particulate filter device (EN 143).	Respiratory protection: In case of inadequate ventilation wear respiratory protection. Particle filter device (DIN EN 143).
15.1	Restrictions according to REACH, Annex XVII: Not listed.	Restrictions according to REACH, Annex XVII
15.1	-	Restrictions according to REACH, Annex XVII: change in the listing (table)

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2017/2398/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LGK	Lagerklasse (storage class according to TRGS 510, Germany)
NLP	No-Longer Polymer

SILCAFLEX 126/143 PACK BLOCK STACK FIX

Version number: 6.0

Revision: 05.09.2024

Abbr.	Descriptions of used abbreviations
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TRGS	Technische Regeln für Gefahrstoffe (technical rules for hazardous substances, Germany)
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN).

International Maritime Dangerous Goods Code (IMDG).

Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H350i	May cause cancer by inhalation.

Responsible for the safety data sheet

C.S.B. GmbH
Dujardinstr. 5
47829 Krefeld
Germany

Telephone: +49 (0) 2151 - 652086 - 0
Telefax: +49 (0) 2151 - 652086 - 9
e-Mail: info@csb-compliance.com
Website: www.csb-compliance.com

Disclaimer

This information is based upon the present state of our knowledge.

This SDS has been compiled and is solely intended for this product.