

## SILCAWOOL M-Board

Version number: 2.0  
Replaces version of: 13.09.2021 (1)

Revision: 20.01.2022  
First version: 13.09.2021

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

<b>Trade name</b>	<b>SILCAWOOL M-Board</b> SILCAWOOL M-Board 80-32A SILCAWOOL M-Board 100-32A
<b>Registration number (REACH)</b>	Not relevant (mixture)
<b>CAS number</b>	not relevant (mixture)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

<b>Relevant identified uses</b>	Thermal insulating material
---------------------------------	-----------------------------

#### 1.3 Details of the supplier of the safety data sheet

SILCA Service- und Vertriebsgesellschaft für Dämmstoffe mbH Elberfelder Straße 200a D-40822 Mettmann Germany	Telephone: +49 (0) 2104 9727-0 Telefax: +49 (0) 2104 9727-25 e-mail: reach@silca-online.de Website: www.silca-online.de
--	--

**e-mail (competent person)** sdb@csb-online.de

Please do not use this e-mail address to ask for the latest safety data sheet. For this purpose contact SILCA Service- und Vertriebsgesellschaft für Dämmstoffe mbH.

#### 1.4 Emergency telephone number

Poison centre		
Country	Name	Telephone
Germany	Giftinformationszentrum - Nord Göttingen	+49 551 19240

As above or nearest toxicological information centre.

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008 (CLP)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

# SILCAWOOL M-Board

## 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

Not required.

## 2.3 Other hazards

### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.


## SECTION 3: Composition/information on ingredients

## 3.1 Substances

Not relevant (mixture).

## 3.2 Mixtures

### Description of the mixture

Hazardous ingredients						
Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Specific Conc. Limits	M-Factors
alkaline earth silicate fibres	CAS No 436083-99-7  EC No 610-130-5  REACH Reg. No 01- 2119457644- 32-xxxx	10 – 60	-	-	-	-
glass, oxide, chemicals	CAS No 65997-17-3  EC No 266-046-0	25 – 55	-	-	-	-
additive, inorganic		10 – 35	-	-	-	-
starch	CAS No 9005-25-8  EC No 232-679-6	2 – 5	-	-	-	-
quartz	CAS No 14808-60-7  EC No 238-878-4	< 0,1	STOT RE 2 / H373		-	-

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General notes

In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following inhalation

Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### Following ingestion

Rinse mouth. Do not induce vomiting.

Get medical advice/attention if you feel unwell.

#### Notes for the doctor

None.

### 4.2 Most important symptoms and effects, both acute and delayed

These information are not available.

### 4.3 Indication of any immediate medical attention and special treatment needed

None.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Co-ordinate firefighting measures to the fire surroundings

### 5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products: Section 10.

### 5.3 Advice for firefighters

Non-combustible.

In case of fire and/or explosion do not breathe fumes.

Collect contaminated firefighting water separately.

Fight fire with normal precautions from a reasonable distance.

#### Special protective equipment for firefighters

use suitable breathing apparatus

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Ventilate affected area.

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

#### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water.

Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

Ventilate affected area.

### 6.4 Reference to other sections

Personal protective equipment: see section 8.

Incompatible materials: see section 10.

Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Do not breathe dust.

#### Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation.

#### Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room.

#### Measures to protect the environment

Avoid release to the environment.

# SILCAWOOL M-Board

## Advice on general occupational hygiene

Do not eat, drink and smoke in work areas.

Wash hands after use.

Preventive skin protection (barrier creams/ointments) is recommended.

Remove contaminated clothing and protective equipment before entering eating areas.

## 7.2 Conditions for safe storage, including any incompatibilities

### Flammability hazards

None.

### Incompatible substances or mixtures

Incompatible materials: see section 10.

### Protect against external exposure, such as

humidity

### Consideration of other advice

Keep away from food, drink and animal feeding stuffs.

### Ventilation requirements

Provision of sufficient ventilation.

### Specific designs for storage rooms or vessels

Keep container tightly closed and in a well-ventilated place.

Store in a dry place.

### Packaging compatibilities

Keep only in original container.

## 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Notation	Source
DE	dust	-	AGW	-	1,25	-	2,5	Y, r	TRGS 900
DE	dust	-	AGW	-	10	-	20	Y, i	TRGS 900
DE	dust	-	MAK	-	0,3	-	2,4	r	DFG
DE	dust	-	MAK	-	4	-	-	i	DFG
DE	Quarzhaltiger Staub	14808-60-7	AGW	-	0,05	-	0,4	-	TRGS 559

# SILCAWOOL M-Board

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Notation	Source
EU	silica, crystalline	14808-60-7	IOELV	-	0,1	-	-	r	2017/2398/EU

## Notation

i inhalable fraction

r respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Y a risk of developmental toxicity does not need to be expected if the occupational exposure limit value and the biological limit value (BGW) are adhered to

## 8.2 Exposure controls

### Appropriate engineering controls

General ventilation.

### Individual protection measures (personal protective equipment)

#### Eye/face protection

Use safety goggle with side protection.

#### Hand protection

Protective gloves		
Material	Material thickness	Breakthrough times of the glove material
no information available	no information available	no information available

Wear suitable gloves.

Chemical protection gloves are suitable, which are tested according to EN 374.

Check leak-tightness/impermeability prior to use.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Particle filter device (DIN EN 143).

### Environmental exposure controls

Use appropriate container to avoid environmental contamination.

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Physical state</b>	solid
<b>Colour</b>	beige - light brown
<b>Odour</b>	odourless
<b>Melting point/freezing point</b>	>1.200 °C
<b>Boiling point or initial boiling point and boiling range</b>	not determined
<b>Flammability</b>	non-combustible
<b>Lower and upper explosion limit</b>	not determined
<b>Flash point</b>	not applicable
<b>Auto-ignition temperature</b>	not applicable (solid)
<b>Decomposition temperature</b>	not relevant
<b>pH (value)</b>	not applicable
<b>Viscosity</b>	not relevant (solid)
<b>Solubility(ies)</b>	
Water solubility	not miscible in any proportion
<b>Partition coefficient n-octanol/water (log value)</b>	not relevant (inorganic)
<b>Vapour pressure</b>	not determined
<b>Density and/or relative density</b>	
Density	not determined
Relative vapour density	information on this property is not available
Bulk density	300 kg/m <sup>3</sup>
<b>Particle characteristics</b>	no data available

### 9.2 Other information

<b>Information with regard to physical hazard classes</b>	hazard classes acc. to GHS (physical hazards): not relevant
<b>Other safety characteristics</b>	there is no additional information

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

hydrogen fluoride (HF)

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Classification procedure

If not otherwise specified the classification is based on:

Ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

#### Acute toxicity

Test data are not available for the complete mixture.

#### Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
starch	9005-25-8	oral	LD50	>2.000 mg/kg	rat

#### Skin corrosion/irritation

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.



### **Serious eye damage/eye irritation**

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

#### **Respiratory sensitisation**

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

### **Germ cell mutagenicity**

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

### **Carcinogenicity**

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

### **Reproductive toxicity**

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

### **Specific target organ toxicity - single exposure**

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

### **Specific target organ toxicity - repeated exposure**

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

## **11.2 Information on other hazards**

Inhalation of dust may cause respiratory irritation.

### **Endocrine disrupting properties**

None of the ingredients are listed.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity (acute)

Test data are not available for the complete mixture.

#### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Exposure time	Value	Species
glass, oxide, chemicals	65997-17-3	LC50	96 h	>1.000 mg/l	fish

#### Aquatic toxicity (chronic)

Test data are not available for the complete mixture.

#### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Exposure time	Value	Species
glass, oxide, chemicals	65997-17-3	EC50	3 d	>1.000 mg/l	daphnia magna
glass, oxide, chemicals	65997-17-3	ErC50	3 d	>1.000 mg/l	algae (pseudokirchneriella subcapitata)
glass, oxide, chemicals	65997-17-3	NOEC	3 d	1.000 mg/l	daphnia magna
glass, oxide, chemicals	65997-17-3	NOEC	3 d	1.000 mg/l	algae (pseudokirchneriella subcapitata)
glass, oxide, chemicals	65997-17-3	LOEC	3 d	>1.000 mg/l	daphnia magna
glass, oxide, chemicals	65997-17-3	growth rate (Er-Cx) 10%	3 d	>1.000 mg/l	algae (pseudokirchneriella subcapitata)

### 12.2 Persistence and degradability

#### Biodegradation

The study does not need to be conducted, the relevant substances in the mixture are inorganic.

#### Persistence

The study does not need to be conducted, the relevant substances in the mixture are inorganic.

### 12.3 Bioaccumulative potential

Test data are not available for the complete mixture.

#### n-octanol/water (log KOW)

not relevant  
(inorganic)

## SILCAWOOL M-Board

### 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

### 12.7 Other adverse effects

Data are not available.

#### Remarks

Wassergefährdungsklasse, WGK (water hazard class): nwg

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Completely emptied packages can be recycled.

Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions.

## SECTION 14: Transport information

14.1	UN number or ID number	not assigned
14.2	UN proper shipping name	-
14.3	Transport hazard class(es)	-
14.4	Packing group	-
14.5	Environmental hazards	-
14.6	Special precautions for user	-
14.7	Maritime transport in bulk according to IMO instruments	-

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

##### Restrictions according to REACH, Annex XVII

None of the ingredients are listed.

##### List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

None of the ingredients are listed.

##### Seveso Directive

Not assigned.

##### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

None of the ingredients are listed.

##### Regulation on the marketing and use of explosives precursors

None of the ingredients are listed.

##### Regulation on substances that deplete the ozone layer (ODS)

None of the ingredients are listed.

##### Regulation concerning the export and import of hazardous chemicals (PIC)

None of the ingredients are listed.

##### Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

##### National regulations (Germany)

##### Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV)

Wassergefährdungsklasse, WGK      nwg  
(water hazard class)                      - classification acc. to annex 1 (AwSV)

##### Technical instructions on air quality control (Germany)

Number	Group of substances	Class	Conc.	Mass flow	Mass concentration	Notation
5.2.1	total dust, including micro-dust	-	≥ 25 wt%	0,2 kg/h	20 mg/m <sup>3</sup>	2)

##### Notation

- 2) even with a mass flow smaller than or equal to 0.20 kg/h, a mass concentration of 0.15 g/m<sup>3</sup> in waste gas may not be exceeded

# SILCAWOOL M-Board

## Storage of hazardous substances in non-stationary containers (TRGS 510) (Germany)

Storage class (LGK) 13  
(non-combustible solids)

### Other information

Observe occupational restrictions for mothers acc. to § 11 MuSchG!

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.  
Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2017/2398/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
AGW	Workplace exposure limit
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DFG	Deutsche Forschungsgemeinschaft MAK-und BAT-Werte-Liste, Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Wiley-VCH, Weinheim
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)

## SILCAWOOL M-Board

Abbr.	Descriptions of used abbreviations
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LGK	Lagerklasse (storage class according to TRGS 510, Germany)
LOEC	Lowest Observed Effect Concentration
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
SVHC	Substance of Very High Concern
TRGS	Technische Regeln für GefahrStoffe (technical rules for hazardous substances, Germany)
TRGS 900	Arbeitsplatzgrenzwerte (TRGS 900)
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.  
Regulation (EC) No. 1907/2006 (REACH).

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN).

International Maritime Dangerous Goods Code (IMDG).

Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties.

Health hazards.

Environmental hazards.

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## SILCAWOOL M-Board

---

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H373	May cause damage to organs through prolonged or repeated exposure.

### Responsible for the safety data sheet

C.S.B. GmbH  
Düsseldorfer Str. 113  
47809 Krefeld, Germany

Telephone: +49 (0) 2151 - 652086 - 0  
Telefax: +49 (0) 2151 - 652086 - 9  
e-Mail: [info@csb-compliance.com](mailto:info@csb-compliance.com)  
Website: [www.csb-compliance.com](http://www.csb-compliance.com)

### Disclaimer

This information is based upon the present state of our knowledge.  
This SDS has been compiled and is solely intended for this product.