Printing date 26.04.2016 Version number 1 Revision: 26.04.2016

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· Date of compilation: 26.04.2016

· 1.1 Product identifier

· Trade name: SILCAFUSE 110-196

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the preparation:

Building material heat resistant

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer / Supplier:

SILCA Service- und Vertriebsgesellschaft für Dämmstoffe mbH

Tel.: +49 (0)2104/9727-0

Fax: +49 (0)2104/9727-25

D-40822 Mettmann

Germany

· E-mail address of the competent person responsible for the Safety Data Sheet: sdb@csb-online.de

· Informing department: Sales

· 1.4 Emergency telephone number: As above or next toxicological information centre.

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The substance is not classified as hazardous according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components: |   |          |  |
|-------------------------|---|----------|--|
|                         |   | 98-99.4% |  |
|                         | substance with a Community workplace exposure limit |          |  |
| CAS: 14464-46-1         |   | < 0.6%   |  |
| EINECS: 238-455-4       | <b>♦</b> STOT RE 1, H372                            |          |  |

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Take off contaminated clothing.
- · After inhalation: Supply fresh air; consult doctor in case of symptoms.
- · After skin contact:

Wash with plenty of soap and water.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

(Contd. on page 2)

Version number 1 Revision: 26.04.2016 *Printing date* 26.04.2016

Trade name: SILCAFUSE 110-196

· After swallowing:

(Contd. of page 1)

Rinse out mouth and then drink plenty of water.

*In case of persistent symptoms consult doctor.* 

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed symptomatic treatment

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents none
- · 5.2 Special hazards arising from the substance or mixture Silica fumes
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Avoid causing dust.

Do not breathe dust.

Avoid contact with skin and eyes.

· 6.2 Environmental precautions:

Do not allow large quantities of product to reach sewage system or water bodies.

· 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Collect mechanically.

Send for recovery or disposal in suitable containers.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

Any deposit of dust which cannot be avoided must be removed regularly.

Do not breathe dust.

Avoid contact with eyes.

Avoid long or repeated skin contact.

Make sure that all applicable workplace limits are observed.

- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- ·Storage
- · Requirements to be met by storerooms and containers:

Observe all local and national regulations for storage of water polluting products.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None
- · 7.3 Specific end use(s) No further relevant information available.

Printing date 26.04.2016 Version number 1 Revision: 26.04.2016

Trade name: SILCAFUSE 110-196

(Contd. of page 2)

#### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters
- · Components with critical values that require monitoring at the workplace:

Respirable dusts are liberated only on abrasive treatment (e.g. sanding), but not from the product as delivered.

#### 60676-86-0 Silicon dioxide (vitreous)

WEL (Great Britain) Long-term value: 0.08 mg/m³

respirable dust

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Do not wear contact lenses during work.

Do not breathe dust.

Avoid close or long term contact with the skin.

Avoid contact with the eyes.

Wash hands during breaks and at the end of the work.

· Breathing equipment:

Use breathing protection in case of dust formation.

If all workplace limits are observed and good ventilation is ensured, no special precautions necessary.

Protection of hands:

Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

Check the permeability prior to each renewed use of the glove.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

Leather gloves

Poly vinyl chloride - PVC

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

· Body protection: Body protection must be chosen depending on activity and possible exposure.

### SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: solid
Colour: white

Smell: characteristic
Odour threshold: not determined

· pH-value: Not applicable.

(Contd. on page 4)

Printing date 26.04.2016 Version number 1 Revision: 26.04.2016

Trade name: SILCAFUSE 110-196

|   | (Contd. of page  |
|---|--|
| · Change in condition<br>Melting point/Melting range:<br>Boiling point/Boiling range:       | 1704 °C<br>not determined  |
| · Flash point:  | not applicable   |
| Inflammability (solid, gaseous)   | Not determined.  |
| Ignition temperature:   |  |
| Decomposition temperature:  | Not determined.  |
| Self-inflammability:  | Product is not selfigniting.   |
| Danger of explosion:  | Product is not explosive.  |
| Critical values for explosion: Lower: Upper: Oxidising properties                           | Not determined. Not determined. not classified as oxidising                                  |
| Vapor pressure:   | Not applicable.  |
| Density: Bulk density at 20 °C: Relative density Vapour density (AIR = 1): Evaporation rate | not determined<br>1940 - 1980 kg/m³<br>Not determined.<br>Not applicable.<br>Not applicable. |
| Solubility in / Miscibility with<br>Water:  | insoluble  |
| Partition coefficient (n-octanol/water).  | Not determined.  |
| · Viscosity: dynamic: kinematic: · 9.2 Other information                                    | Not applicable.<br>Not applicable.<br>No further relevant information available.             |

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Hydrogen fluoride
- · 10.6 Hazardous decomposition products: Silica fumes

### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Dust particles may mechanically irritate the skin.
- · Serious eye damage/irritation Dust particles may mechanically irritate the eye.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Subacute to chronic toxicity:
- Repeated or prolonged exposure to dusts may result in deposition of dust particles in the lungs.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 5)

Printing date 26.04.2016 Version number 1 Revision: 26.04.2016

Trade name: SILCAFUSE 110-196

(Contd. of page 4)

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Not hazardous for water.
- 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation Disposal must be made according to official regulations.
- · European waste catalogue:

Waste disposal key numbers from EWC have to be assigned depending on origin and processing.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

| SECTION 14: Transport informa                                      | tion   |
|--|--|
| · 14.1 UN-Number<br>· ADR, IMDG, IATA                              | Void   |
| 14.2 UN proper shipping name<br>ADR, IMDG, IATA                    | Void   |
| · 14.3 Transport hazard class(es)                                  |  |
| ADR, IMDG, IATA<br>Class   | Void   |
| 14.4 Packing group<br>ADR, IMDG, IATA                              | Void   |
| 14.6 Special precautions for user                                  | Not applicable.                                      |
| 14.7 Transport in bulk according to Ann<br>Marpol and the IBC Code | nex II of<br>Not applicable.                         |
| Transport/Additional information:                                  | Not dangerous according to the above specifications. |
| · UN ''Model Regulation'':   | Void   |

GB

Printing date 26.04.2016 Version number 1 Revision: 26.04.2016

Trade name: SILCAFUSE 110-196

(Contd. of page 5)

#### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations
- Decree to be applied in case of technical fault: Directive 2012/18/EU does not apply.
- · Water hazard class: Generally not hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Reasons for changes:

The Material Safety Data Sheet has been revised. Changes in the respective chapters are characterized in the left side edge by \*.

#### · Relevant phrases

The(se)  $\tilde{H}$ -statement(s) are those of the ingredient(s) and do(es) NOT represent the classification of the preparation/mixture.

H372 Causes damage to organs through prolonged or repeated exposure.

#### Department issuing SDS:

C.S.B. GmbH Phone: +49 - 2151 - 652086-0 Düsseldorfer Str. 113 Fax: +49 - 2151 - 652086-9

47809 Krefeld / Germany

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

SVHC: Substances of Very High Concern

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

- · Sources: These data are based on information submitted by pre-suppliers.
- \* \* Data compared to the previous version altered.

GB